

QMFZ2 Component - Plastics

Sunday, May 03, 1998

E130155

**NAN YA PLASTICS CORP**

PLASTICS 4TH DIV 3RD FL 201 TUNG HWA NORTH RD TAIPEI TAIWAN

Material Designation: **1403G3**

Product Description: Polybutylene Terephthalate (PBT), furnished as pellets.

<b>Color</b>	<b>Min. Thick. (mm)</b>	<b>Flame Class</b>	<b>HWI</b>	<b>HAI</b>	<b>RTI Elec</b>	<b>RTI Imp</b>	<b>RTI Str</b>	<b>IEC GWIT</b>	<b>IEC GWFI</b>
ALL	0.75	V-0	4	0	130	130	140	-	-
	1.5	V-0	3	0	130	130	140	-	-
	3.0	V-0	2	0	130	130	140	-	-
	<b>CTI: 3</b>		<b>HVTR: 2</b>		<b>D495: 6</b>		<b>IEC BP: -</b>		

Report Date: 01/11/1991

Underwriters Laboratories Inc®

625400001

UL94 small-scale test data does not pertain to building materials, furnishings and related contents. UL 94 small-scale test data is intended solely for determining the flammability of plastic materials used in components and parts of end-product devices and appliances, where the acceptability of the combination is determined by ULI.

PBT 塑胶

10: 24 手购冯'S  
11: 捷以林'S



Test Report

No.: GZ0604057850/CHEM

Date: APR 29, 2006

Page 1 of 4

NAN YA PLASTICS(HUI ZHOU) CO., LTD  
YONGSHI BOULEVARD SHIWAN TOWN, BOLUO COUNTY, HAUZHOU CITY, GUANGDONG 516127  
P.R.CHINA

Report on the submitted sample said to be

PBT(1100.1101FB.1111FB.1300A.1300.1210G3.1210G6.1400G(a).1403G(a).1402G(a).1410G3.1410G6)

(a) MAY BE FOLLOWED BY A NUMBER OR LETTER INDICATING GLASSFIBER CONTENT BETWEEN 5-30%

SGS Ref. No. : GZ060411672EC-3.1

Buyer : SONY

Sample Receiving Date : APR 25, 2006

Testing Period : APR 25, 2006 TO APR 29, 2006

Test Requested : (1) As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.  
(2) Determination of PBBs (Polybrominated Biphenyls), PBDES (Polybrominated Diphenylethers) of the submitted sample.

Test method : (1) Cadmium content : With reference to BS EN 1122:2001 Method B see flowchart (1)  
Lead content : Ashing after wet decomposition see flowchart (2)  
Mercury content - With reference to EPA 3052: 1996 / 7473: 1998.  
Hexavalent Chromium content - With reference to EPA 3060A: 1996 & EPA 7196A: 1992.  
Analysis was performed by Atomic Absorption Spectrometer / Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) / Direct Mercury analyzer / UV-VIS Spectrophotometer.  
(2) With reference to EPA 3540C / 3550C. Analysis was performed by GC/MS.

Results : Please refer to next pages

Signed for and on behalf of  
SGS-CSTC Ltd.

Zhang Li, Amy  
Sr. Engineer

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



198 RENHU Road, SCIENTEC Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20)82155555 f (86-20)82075125 www.cn.sgs.com  
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20)82155555 f (86-20)82075125 e sgs.china@sgs.com

GZCM 600082

Member of the SGS Group (SGS SA)



**Test Report**

No.: GZ0604057850/CHEM

Date: APR 29, 2006

Page 2 of 4

Results :

(1)

Item	Unit	MDL	Black plastic grains
Lead Content (Pb)	ppm	2	13
Cadmium Content (Cd)	ppm	2	N.D.
Mercury Content (Hg)	ppm	2	N.D.
Hexavalent Chromium Content [Cr(VI)]	ppm	2	N.D.

Note : - N.D. = Not Detected (< MDL)  
 - MDL = Method Detection Limit  
 - ppm = mg/kg


(2)

	Black plastic grains
<b>Flame Retardants</b>	
<b>Polybrominated Biphenyls (PBBs)</b>	
Monobromobiphenyl	N.D.
Dibromobiphenyl	N.D.
Tribromobiphenyl	N.D.
Tetrabromobiphenyl	N.D.
Pentabromobiphenyl	N.D.
Hexabromobiphenyl	N.D.
Heptabromobiphenyl	N.D.
Octabromobiphenyl	N.D.
Nonabromobiphenyl	N.D.
Decabromobiphenyl	N.D.
<b>Polybrominated Diphenylethers (PBDEs)</b>	
Monobromodiphenyl ether	N.D.
Dibromodiphenyl ether	N.D.
Tribromodiphenyl ether	N.D.
Tetrabromodiphenyl ether	N.D.
Pentabromodiphenyl ether	N.D.
Hexabromodiphenyl ether	N.D.
Heptabromodiphenyl ether	N.D.
Octabromodiphenyl ether	N.D.
Nonabromodiphenyl ether	N.D.
Decabromodiphenyl ether	N.D.

Note : - N.D. = Not Detected (< 5 ppm)  
 - ppm = mg/kg

\*\*\* End of Report \*\*\*

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



198 KEZHU Road, SCIENTEC Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20)82155555 f (86-20)82075125 www.cn.sgs.com  
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20)82155555 f (86-20)82075125 e sgs.china@sgs.com

GZCM 600081

Member of the SGS Group (SGS SA)



## Test Report

No.: GZ0604057850/CHEM


Date: APR 29, 2006

Page 3 of 4

### ATTACHMENTS

(1)

Flow chart of digestion (Cadmium content):



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Sams Deng  
Leader : Joe Li

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SGS-CTI (Singapore) Technical Services Co., Ltd.  
Guangzhou General Laboratory

198 HEZHU Road, SDC/ITECC Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663  
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663

t (86-20)82155555 f (86-20)82075125 www.cn.sgs.com  
t (86-20)82155555 f (86-20)82075125 e sgs.china@sgs.com

GZCM 600080

Member of the SGS Group (SGS SA)

## Test Report


No.: GZ0604057850/CHEM

Date: APR 29, 2006

Page 4 of 4

(2)

Flow chart of digestion (wet decomposition and ashing) (Lead content) :



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Vincent Li  
 Leader : Adams Yu

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



SGS-CL  
 Guangzhou Technical Laboratory

198 KEZHU Road, SCIENTECH Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663

t (86-20)82155555 f (86-20)82075125 www.cn.sgs.com  
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20)82155555 f (86-20)82075125 e sgs.china@sgs.com

GZCM 600079

Member of the SGS Group (SGS SA)




## Test Report

MINCHALI METAL INDUSTRY CO., LTD.  
11, PEI YUAN ROAD, CHUNG LI CITY, TAIWAN, R. O. C.

Report No. : CE/2006/30651  
Date : 2006/03/09  
Page : 1 of 4

The following merchandise was (were) submitted and identified by the client as :

Type of Product : 黃銅 (BRASS)  
Style/Item No : C2680 (65/35)  
Manufacturer/Vendor : MINCHALI METAL INDUSTRY CO., LTD.  
Country of Origin : TAIWAN  
Sample Received : 2006/03/02  
Testing Date : 2006/03/02 TO 2006/03/09



Test Result : - Please see the next page -

  
Daniel Yen, M.F. / Operation Manager  
Signed for and on behalf of  
SGS TAIWAN LTD.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company

## Test Report

MINCHALI METAL INDUSTRY CO., LTD.  
11, PEI YUAN ROAD, CHUNG LI CITY, TAIWAN, R. O. C.

Report No. : CE/2006/30651  
Date : 2006/03/09  
Page : 2 of 4

### Test Result

PART NAME NO.1 : YELLOW COLORED METAL SHEET

Test Item (s):	Unit	Method	MDL	Result	Spec.
				No.1	
Monobromobiphenyl	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.	-
Dibromobiphenyl	%		0.0005	N.D.	-
Tribromobiphenyl	%		0.0005	N.D.	-
Tetrabromobiphenyl	%		0.0005	N.D.	-
Pentabromobiphenyl	%		0.0005	N.D.	-
Hexabromobiphenyl	%		0.0005	N.D.	-
Heptabromobiphenyl	%		0.0005	N.D.	-
Octabromobiphenyl	%		0.0005	N.D.	-
Nonabromobiphenyl	%		0.0005	N.D.	-
Decabromobiphenyl	%		0.0005	N.D.	-
<b>Total PBBs (Polybrominated biphenyls)/Sum of above</b>	%			N.D.	-
Monobromobiphenyl ether	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.	-
Dibromobiphenyl ether	%		0.0005	N.D.	-
Tribromobiphenyl ether	%		0.0005	N.D.	-
Tetrabromobiphenyl ether	%		0.0005	N.D.	-
Pentabromobiphenyl ether	%		0.0005	N.D.	-
Hexabromobiphenyl ether	%		0.0005	N.D.	-
Heptabromobiphenyl ether	%		0.0005	N.D.	-
Octabromobiphenyl ether	%		0.0005	N.D.	-
Nonabromobiphenyl ether	%		0.0005	N.D.	-
Decabromobiphenyl ether	%		0.0005	N.D.	-
<b>Total PBDEs (PBDEs) (Polybrominated biphenyl ethers)/Sum of above</b>	%			N.D.	-
<b>Total of Mono to Nonabrominated biphenyl ether. (Note 4)</b>	%			N.D.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company

## Test Report

MINCHALI METAL INDUSTRY CO., LTD.  
11, PEI YUAN ROAD, CHUNG LI CITY, TAIWAN, R. O. C.

Report No. : CE/2006/30651  
Date : 2006/03/09  
Page : 3 of 4

Test Item (s):	Unit	Method	MDL	Result	Spec.
				No.1	
Chromium VI (Cr+6)	ppm	UV-VIS after reference to US EPA 3060A.	2	N.D.	-
Cadmium (Cd)	ppm	ICP-AES after reference to EN 1122, method B:2001 or other acid digestion.	2	N.D.	-
Mercury (Hg)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.	-
Lead (Pb)	ppm	ICP-AES after reference to US EPA 3050B or other acid digestion.	2	6.9	-

PASS

Test Item (s):	Unit	Method	MDL	Result	Spec.
				No.1	
EN 71 PART 3 Heavy metal content		As per EN 71 PART 3 : 1994 (A1 : 2000, AC:2000 and AC:2002) (EN 71 & BS 5665 are identical)			
Soluble Lead (Pb)	ppm	ICP-AES	5	< 5.0	90
Soluble Antimony (Sb)	ppm	ICP-AES	5	< 5.0	60
Soluble Arsenic (As)	ppm	ICP-AES	2.5	< 2.5	25
Soluble Barium (Ba)	ppm	ICP-AES	10	< 10.0	1000
Soluble Cadmium (Cd)	ppm	ICP-AES	5	< 5.0	75
Soluble Chromium (Cr)	ppm	ICP-AES	5	< 5.0	60
Soluble Mercury (Hg)	ppm	ICP-AES	5	< 5.0	60
Soluble Selenium (Se)	ppm	ICP-AES	5	< 5.0	500

- NOTE: (1) N.D. = Not detected (<MDL)  
 (2) ppm = mg/kg  
 (3) MDL = Method Detection Limit  
 (4) Decabromobiphenyl ether (DecaBDE) in polymeric applications is Commission Decision of 13 Oct 2005 amending Directive under document 2005/717/EC.  
 (5) PBBEs=PBDEs=Polybrominated Diphenyl Ethers=PBDOs=PBEOs.  
 (6) " - " = Not Regulation


The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



## Test Report

MINCHALI METAL INDUSTRY CO., LTD.  
11, PEI YUAN ROAD, CHUNG LI CITY, TAIWAN, R. O. C.

Report No. : CE/2006/30651  
Date : 2006/03/09  
Page : 4 of 4



The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



# Test Report

MINCHALI METAL INDUSTRY CO., LTD.  
11, PEI YUAN ROAD, CHUNG LI CITY, TAIWAN, R. O. C.

Report No. : CE/2006/30710  
Date : 2006/03/09  
Page : 1 of 4

The following merchandise was (were) submitted and identified by the client as :

Type of Product : 磷青銅 (PHOSPHOR BRONZE)  
Style/Item No : C5210 (PBS)  
Manufacturer/Vendor : MINCHALI METAL INDUSTRY CO., LTD.  
Country of Origin : TAIWAN  
Sample Received : 2006/03/02  
Testing Date : 2006/03/02 TO 2006/03/09

-----  
Test Result : - Please see the next page -

  
Daniel Yen, M.P. - Operation Manager  
Signed for and on behalf of  
SGS TAIWAN LTD.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

## Test Report

MINCHALI METAL INDUSTRY CO., LTD.  
11, PEI YUAN ROAD, CHUNG LI CITY, TAIWAN, R. O. C.

Report No. : CE/2006/30710  
Date : 2006/03/09  
Page : 2 of 4

### Test Result

PART NAME NO.1 : COPPER COLORED METAL SHEET( C5210 (PBS) )

Test Item (s):	Unit	Method	MDL	Result	Spec.	
				No.1		
Monobromobiphenyl	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.	-	
Dibromobiphenyl	%		0.0005	N.D.	-	
Tribromobiphenyl	%		0.0005	N.D.	-	
Tetrabromobiphenyl	%		0.0005	N.D.	-	
Pentabromobiphenyl	%		0.0005	N.D.	-	
Hexabromobiphenyl	%		0.0005	N.D.	-	
Heptabromobiphenyl	%		0.0005	N.D.	-	
Octabromobiphenyl	%		0.0005	N.D.	-	
Nonabromobiphenyl	%		0.0005	N.D.	-	
Decabromobiphenyl	%		0.0005	N.D.	-	
<b>Total PBBs (Polybrominated biphenyls)/ Sum of above</b>	%				N.D.	-
Monobromobiphenyl ether	%		With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.	-
Dibromobiphenyl ether	%	0.0005		N.D.	-	
Tribromobiphenyl ether	%	0.0005		N.D.	-	
Tetrabromobiphenyl ether	%	0.0005		N.D.	-	
Pentabromobiphenyl ether	%	0.0005		N.D.	-	
Hexabromobiphenyl ether	%	0.0005		N.D.	-	
Heptabromobiphenyl ether	%	0.0005		N.D.	-	
Octabromobiphenyl ether	%	0.0005		N.D.	-	
Nonabromobiphenyl ether	%	0.0005		N.D.	-	
Decabromobiphenyl ether	%	0.0005		N.D.	-	
<b>Total PBDEs(PBDEs) (Polybrominated biphenyl ethers)/ Sum of above</b>	%				N.D.	-
<b>Total of Mono to Nona-brominated biphenyl ether. (Note 4)</b>	%				N.D.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company

## Test Report

MINCHALI METAL INDUSTRY CO., LTD.  
11, PEI YUAN ROAD, CHUNG LI CITY, TAIWAN, R. O. C.

Report No. : CE/2006/30710  
Date : 2006/03/09  
Page : 3 of 4

Test Item (s):	Unit	Method	MDL	Result	Spec.
				No.1	
Chromium VI (Cr+6)	ppm	UV-VIS after reference to US EPA 3060A.	2	N.D.	-
Cadmium (Cd)	ppm	ICP-AES after reference to EN 1122, method B:2001 or other acid digestion.	2	N.D.	-
Mercury (Hg)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.	-
Lead (Pb)	ppm	ICP-AES after reference to US EPA 3050B or other acid digestion.	2	20.8	-

PASS


Test Item (s):	Unit	Method	MDL	Result	Spec.
				No.1	
EN 71 PART 3 Heavy metal content		As per EN 71 PART 3 : 1994 (A1 : 2000, AC:2000 and AC:2002) (EN 71 & BS 5665 are identical)			
Soluble Lead (Pb)	ppm	ICP-AES	5	< 5.0	90
Soluble Antimony (Sb)	ppm	ICP-AES	5	< 5.0	60
Soluble Arsenic (As)	ppm	ICP-AES	2.5	< 2.5	25
Soluble Barium (Ba)	ppm	ICP-AES	10	< 10.0	1000
Soluble Cadmium (Cd)	ppm	ICP-AES	5	< 5.0	75
Soluble Chromium (Cr)	ppm	ICP-AES	5	< 5.0	60
Soluble Mercury (Hg)	ppm	ICP-AES	5	< 5.0	60
Soluble Selenium (Se)	ppm	ICP-AES	5	< 5.0	500

- NOTE: (1) N.D. = Not detected (<MDL)  
 (2) ppm = mg/kg  
 (3) MDL = Method Detection Limit  
 (4) Decabromobiphenyl ether (DecaBDE) in polymeric applications is Commission Decision of 13 Oct 2005 amending Directive under document 2005/717/EC.  
 (5) PBSEs=PBDEs=Polybrominated Diphenyl Ethers=PBDOs=PBBOs.  
 (6) " - " = Not Regulation

## Test Report

MINCHALI METAL INDUSTRY CO., LTD.  
11, PEI YUAN ROAD, CHUNG LI CITY, TAIWAN, R. O. C.

Report No. : CE/2006/30710  
Date : 2006/03/09  
Page : 4 of 4



The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.



## Test Report

No.: GZ0602016853/CHEM

Date: FEB 24, 2006

Page 1 of 2

SEARAY PLASTIC INDUSTRIAL CO., LTD  
3<sup>RD</sup> INDUSTRIAL ZONE, DAWANG SHAN SHAJING TOWN, BAOAN DISTRICT, SHENZHEN CITY, CHINA

Report on the submitted sample said to be 滚镀银端子类

SGS Ref No. : SZ060205953RS-7.1  
Buyer : SONY  
Sample Receiving Date : FEB 20, 2006  
Testing Period : FEB 20, 2006 TO FEB 24, 2006

Test Requested : (1) As specified by client, to determine the Lead, Cadmium & Mercury content in the submitted sample.  
(2) Determination of the presence of Hexavalent Chromium Cr(VI) in the submitted metallic samples.

Test Method : (1) Lead content - With reference to EPA method 3050B: 1996 / other acid digestion.  
Cadmium content - With reference to BS EN1122: 2001 method B / other acid digestion.  
Mercury content - With reference to EPA 3052: 1996 / 7473: 1998 / other acid digestion.  
Analysis was performed by Atomic Absorption Spectrometer / Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES).  
(2) With reference to the Committee Draft of IEC 62321, Ed.1 (Sec. 9.7.2 – Boiling-water-extraction method)

Results : Please refer to next page.

Signed for and on behalf of  
SGS-CSTC Ltd.

Huang Fang, Sunny  
Sr. Engineer

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 476202



Test Report

No.: GZ0602016853/CHEM

Date: FEB 24, 2006

Page 2 of 2

Results :

(1)

Lead Content (Pb)(ppm)  
Cadmium Content (Cd)  
Mercury Content (Hg)

Silvery metal

13  
N.D.  
N.D.

Note : - N.D. = Not Detected (< 2 ppm)  
- ppm = mg/kg

(2)

Hexavalent Chromium [Cr(VI)]

Silvery metal


Negative

Note : - Negative means the concentration of Hexavalent Chromium extracted from 50cm<sup>2</sup> sample is less than the detection limit.  
- Detection limit of Cr(VI) in solution = 0.02 mg/kg Cr(VI) extracted from 50cm<sup>2</sup> sample surface area by boiling-water-extraction method

\*\*\* End of Report \*\*\*

COPY

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



GZCM 476201

## Test Report

LIH SHENG PRECISION IND. CO. LTD.  
 4F., NO. 82, SEC. 1, KUANG FU ROAD, SAN CHUNG CITY,  
 TAIPEI HSIEN, TAIWAN

Report No. : CE/2005/C8413  
 Date : 2006/01/06  
 Page : 1 of 2

**The following merchandise was (were) submitted and identified by the client as :**


Type of Product : 紅銅 C1100  
Sample Received : 2005/12/30  
Testing Date : 2005/12/30 TO 2006/01/06

### Test Result

PART NAME NO.1 : SILVER COLORED METAL

Test Item (s):	Unit	Method	MDL	Result
				No.1
Chromium VI (Cr+6)	ppm	UV-VIS after reference to US EPA 3060A.	2	N.D.
Cadmium (Cd)	ppm	ICP-AES after reference to EN 1122, method B:2001 or other acid digestion.	2	N.D.
Mercury (Hg)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.
Lead (Pb)	ppm	ICP-AES after reference to US EPA 3050B or other acid digestion.	2	N.D.

NOTE: (1) N.D. = Not detected (<MDL)  
 (2) ppm = mg/kg  
 (3) MDL = Method Detection Limit

  
 Daniel Yeh, M.R. / Operation Manager  
 Signed for and on behalf of  
 SGS TAIWAN LTD.



## Test Report

LIH SHENG PRECISION IND. CO. LTD.  
4F., NO. 82, SEC. 1, KUANG FU ROAD, SAN CHUNG CITY,  
TAIPEI HSIEN, TAIWAN

Report No. : CE/2005/C8413

Date : 2006/01/06

Page : 2 of 2



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification, and Jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. 此報告是遵循本公司訂定之通用服務條款所製作發放。請注意此條款列印於背面，將本公司之義務，免責，管轄權皆明確規範之。此報告結果除非另有說明僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。

TW2733170

# Test Report

LIH SHENG PRECISION IND., CO., LTD.  
4F., NO. 82, SEC. 1, KUANG FU ROAD, SAN CHUNG CITY,  
TAIPEI HSIEN, TAIWAN

Report No. : CE/2006/35990  
Date : 2006/03/24  
Page : 1 of 2

**The following merchandise was (were) submitted and identified by the client as :**


Type of Product : 鍍銀溶液  
Sample Received : 2006/03/17  
Testing Date : 2006/03/17 TO 2006/03/24

## **Test Result**

PART NAME NO.1 : TRANSPARENT BROWN LIQUID

Test Item (s):	Unit	Method	MDL	Result
				No.1
Chromium VI (Cr+6)	ppm	UV-VIS(US EPA 7196A) after reference to US EPA 3060A.	2	N.D.
Cadmium (Cd)	ppm	ICP-AES after reference to EN 1122, method B:2001 or other acid digestion.	2	N.D.
Mercury (Hg)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.
Lead (Pb)	ppm	ICP-AES after reference to US EPA 3050B or other acid digestion.	2	N.D.

NOTE: (1) N.D. = Not detected (<MDL)  
(2) ppm = mg/kg  
(3) MDL = Method Detection Limit

  
Daniel Yeh, M.R. / Operation Manager  
Signed for and on behalf of  
SGS TAIWAN LTD.

# Test Report

LIH SHENG PRECISION IND., CO., LTD.  
4F., NO. 82, SEC. 1, KUANG FU ROAD, SAN CHUNG CITY,  
TAIPEI HSIEN, TAIWAN

Report No. : CE/2006/35990  
Date : 2006/03/24  
Page : 2 of 2





# Test Report

JING-HAO-HSIG CO., LTD.  
 NO.12, LANE 171, CHONG-HSING RD., SECTION 1, WU-  
 GU, TAIPEI COUNTY 248, TAIWAN

Report No. : CE/2006/25571  
 Date : 2006/03/02  
 Page : 1 of 2

The following merchandise was (were) submitted and identified by the client as :

Type of Product : Ni槽藥水  
Sample Received : 2006/02/22  
Testing Date : 2006/02/22 TO 2006/03/02

**Conclusion** : The test results of Pb, Cd, Hg and Cr+6 for the submitted sample comply with the requirements of RoHS (2002/95/EC).


### Test Result

PART NAME NO.1 : GREEN LIQUID

PASS

Test Item (s):	Unit	Method	MDL	Result	Limit of
				No.1	ROHS
Chromium VI (Cr+6)	ppm	UV-VIS after reference to US EPA 3060A.	2	N.D.	1000
Cadmium (Cd)	ppm	ICP-AES after reference to EN 1122, method B:2001 or other acid digestion.	2	N.D.	100
Mercury (Hg)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.	1000
Lead (Pb)	ppm	ICP-AES after reference to US EPA 3050B or other acid digestion.	2	N.D.	1000

NOTE: (1) N.D. = Not detected (<MDL)  
 (2) ppm = mg/kg  
 (3) MDL = Method Detection Limit

  
 Daniel Yeh, M.F. / Operation Manager  
 Signed for and on behalf of  
 SGS TAIWAN LTD.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification, and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. 此報告係根據本公司規定之通用服務條款所製作發放，請注意此條款列印於背面。將本公司之報告、測試、檢驗結果再刊印或明處對檢驗之樣品出售、或再刊印本公司報告等項，不可隨便複製。


TW2949308



## Test Report

JING-HAO-HSIG CO., LTD.  
NO.12, LANE 171, CHONG-HSING RD., SECTION 1, WU-  
GU, TAIPEI COUNTY 248, TAIWAN

Report No. : CE/2006/25571  
Date : 2006/03/02  
Page : 2 of 2



This Test Report is issued by this Company subject to its General Conditions of Service printed thereon. Attention is drawn to the limitations of liability, indemnification, and Jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. 此報告係由本公司根據其服務條款所發出。請注意有關責任限制、賠償及管轄權之規定。此報告之結果僅指所檢測試品，除非另有說明。未經本公司書面許可，不得複製或轉錄此報告之全部或任何部分。

TW 0949309